

Modeling a coupled two-layer team-assembly model for inventors and companies

Hiroyasu Inoue ^{*} [†], Gourab Ghoshal ^{*} [‡], Yang-Yu Liu ^{*} [§], Márton Pósfai ^{*}, and Albert-László Barabási ^{*} [‡] [§]

^{*}Center for Complex Network Research and Department of Physics, Northeastern University, Boston, USA, [†]Osaka Sangyo University, Osaka, Japan, [‡]Department of Medicine, Brigham and Women's Hospital, Harvard Medical School, Boston, USA, and [§]Center for Cancer Systems Biology, Dana-Farber Cancer Institute, Boston, USA

Since companies are exposed to rigid competition, they are seeking how best to cultivate the ability of innovations. As one strategy, they capitalize on other companies' knowledge more and more in order to speed up their innovations. However, acquiring other companies' knowledge is not easy since they have different climates and tacit knowledge. To tackle this problem, we consider not only companies but the inventors in companies because the actual providers of innovations are inventors and there definitely exists synergy between inventors and companies.

In this paper, the dynamics between two networks whose nodes represent inventors and companies are clarified. By using US and JP patent data, we extracted collaborations between inventors and companies and created two different projected networks where one of nodes are inventors and another of nodes are companies, respectively. We discussed the relationship between networks and the impact of patents and found that the impact was strongly affected by both inventors' and companies' repetition of collaborations. This means that considering layered networks is important. Finally, we created a model to replicate the two-layered network on the basis of Guimera's model for inventors. It could replicate the observed network well in terms of degree distributions.

Company | Inventor | Network | Patent | Joint application | Innovation

Introduction

Companies increasingly need the capacity of innovations because of growing competition [1, 2], and they consider the core of the capacity is knowledge [3, 4, 5]. They can take various strategies to acquire the knowledge, but, in particular, we discuss the collaboration between companies, which is becoming more important recently [6].

Companies capitalize on other companies' knowledge more and more [7, 8] because speeding up innovations is possible by means of capitalizing [3]. Commensurate with this, co-patents between companies are increasing [9]. However, it is not easy to acquire other companies' knowledge since they have different climates and unique tacit knowledge [10]. Therefore, it is an open problem when companies should collaborate with other companies and which companies they should collaborate with.

To tackle this problem, we consider not only companies but the inventors in companies because the actual providers of innovations are inventors, and there definitely exists synergy between them. For example, it has been exemplified that if a city is attractive, more innovative people come, and that makes the city more attractive to external innovative people [11]. This is natural because most new ideas come from the integration or recombination of existing knowledge originating from different inventors [12].

Here, in this paper, the dynamics between inventors and companies from the viewpoint of the network of collaborations are clarified. There are a vast variety of the collaborations. However, we can acquire joint-applications of the patent data of companies in the United States (US) and Japan (JP) patents data as one of the collaborations. Also, we create a model to replicate a two-layered network in order to understand the evolution of the network and offer the capability of predicting the growth of the network.

The next section shows related studies to clear up the position of this research. Then, we explain the data and show how inventors and companies are mutually affected in terms of collaboration networks. In the following section, we propose the model and verify how it can replicate the observed network. Finally, we summarize this paper.

Related Studies

From the view point of collaboration networks, many studies have analyzed and created models to replicate them [13, 14, 15, 16]. Since all of the previous studies did not discuss the two-layered network that we discuss in this study, the previous studies are different from this study. If we especially regard the networks in this study as not only collaboration networks but creative networks as well, we should mention an important series of research that showed when inventors or paper authors collaborate, they can create higher quality works than solo-authored ones [17]. In addition to that, inter-organizational works are better than intra-organizational works [18]. These works are important because they give the scaffolding to this study. The major difference between these studies and this study is that they study a single type of actor and the networks between them.

People have discussed inter-company collaborations in the broad context of business. In a field called "inter-organizational R&D," the most important keyword is "absorptive capacity." Absorptive capacity is defined as the ability of an organization to recognize the value of new external knowledge, assimilate, and apply it [19, 20]. Absorptive capacity is based on the knowledge transfer of established knowledge [21]. Therefore, the focus is how organizations can absorb external knowledge. The data we use is the joint-applications of companies and inventors. This means that knowledge is created between companies or inventors. Hence, this study is different from the studies of absorptive capacity.

Data

Patent. Patents are useful for knowing the occurrence of innovations over time [22]. Therefore, using a massive data set enables us to grasp the tendency of innovation. As datasets, we use US and JP patent data [4, 23].

Reserved for Publication Footnotes

These datasets have a similar structure. Each patent has the ID of the right holders and the inventors that applied for the patent. We needed to manipulate the datasets to add two pieces of information. The first one is the distinction of companies. We added the information to the JP dataset on the basis of the corporate statuses in organizations' names. In the US dataset, NBER had already added the information. The second one is the connections between companies and inventors. Therefore, we created this connection data according to the process as described hereinbelow. For the US patents, we first collected patents applied for by a single company. Next, if an inventor could be found in more than one of the patents applied for by a certain company, we connected the inventor to the company. For the JP patents, since most inventors' addresses contained the names of companies, we could use this connection.

As previously mentioned, it is becoming more common for a team of inventors to apply for a patent, and also, the quality of the patents are better than solo-authored ones [17]. However, it is not common that more than one company jointly applies for a patent. The ratio of patents jointly applied for by multiple companies to all patents is 1.5% in the United States [6]¹, 3.6% in Europe [24], and 7.8% in Japan. The difference is based on the laws and customs of the country. For example, in the U.S., joint applications between companies are the second best because a company cannot sell or license a jointly applied patent without the consent of others. Therefore, we can assume that even though the ratios based on patents are small in the U.S., there are more actual collaborations between companies than shown by the ratio. On the basis of a survey, the actual ratio is estimated to be around 20% [25].

Table 1 shows the fundamental data of the datasets. From the viewpoint of comparisons between two datasets, the ratios of companies' patents are apparently different; 24.7% in the US and 86.2% in JP. Patents are strongly based on the laws of countries, and the innovation strategies of governments underlie these laws. Therefore, there is no surprise if they have differences. In JP, if inventors belong to companies, the rights of the patents basically belong to the companies. In the US, in comparison, it is said about 80% of patents are invented in companies [4]. Since we can see a big difference in the actual ratio (24.7%) and the empirical ratio (about 80%), we can recognize that the U.S. has customs different to those of Japan.

Fig. 1 explains how we create the two-layer networks from each dataset. The left side of Fig. 1 shows an example for three patents, five inventors, and three companies. Each one or more of the inventors applies for a patent. Also, each inventor belongs to a company. On the basis of the tripartite network on the left side, we can create two different projected networks for the inventor and the company. The inventor network is a network where every combination of inventors has a link if they have at least a patent in common. The company network has the same definition, although Fig. 1 does not directly describe that. The definition is identical as: if inventors who apply for a patent belong to different companies, the companies have a link.

Fig. 2 shows the cumulative probability distribution of degree for the inventor network. The degree is a measure to count the number of links a certain node has. The figure shows that the US and JP inventor networks are almost identical in degree distributions. Apparently, the distributions decay faster than a power law. In the previous studies, collaboration networks showed the same distributions as this paper [13, 26] or power laws [27].

Fig. 3 shows the cumulative probability distribution of degree for company networks. Clearly, we can fit lines to distributions; therefore, they are power-law distributions. A previous study showed that collaboration networks of organizations in patents have power-law distributions [28].

As mentioned earlier, although US and JP patents probably have similar structures, joint-applications between US companies are not frequent, and therefore, the data has not accumulated enough to discuss the structure and its model. Hence, we use only JP patent data in the rest of this paper.

Thinking again that one or more than one inventor apply for a patent, we can define a team size for the inventors for each patent. In the same way, we can define a team size for the companies. Fig. 4 shows the probability distribution of the team size of inventors. This distribution does not seem to be a power-law distribution as well as the degree probability distribution of inventors. The most plausible distribution for this is a Poisson distribution. Fig. 5 is the probability of the team size for the companies. As opposed to the inventors' team size, the probability shows a power-law distribution.

Value and impact. So far, we have discussed inventors' and companies' networks but not why these two networks should be investigated simultaneously. Here, we introduce the value of patents to show the importance of investigating the layered networks. If we can see a significant deviation of the value in some specific structures of the layered networks, it indicates the importance of the networks.

The value of patents has a large diversity. It is said that 40% of patents are useless [25] or, more strongly, most patents are useless [29]. However, for example, the patent that contains the blue diode invention has incredibly benefitted the person and the company who invented it.

To measure the value of patents, there are several ways. One of them is renewal [30]. To retain the right of a patent, the patent holder has to pay the renewal fee. If a patent is retained long, this can be regarded as evidence of value. Another measurement is a number of claims [31]. The number of claims in patents can be a proxy of how broad or complicated patents are. The last measurement is citation. If a patent is often cited, the number of citations can be regarded as the value of the patent. The citation has been most commonly used and well verified to show how a citation can be a good indicator of value [32]. We use the citation because not only it is the most plausible, but it helps us to compare the broad, previous studies [32, 33, 17] that used citations.

In the datasets, each patent has a number of citations. We have to consider the skewness of the distribution because old patents have a higher chance of being cited. Therefore, we normalized the number of citations by using the average of the citations of patents in the same year. In line with previous studies, we define the impact of patents as the number of normalized citations.

Fig. 6 shows the average impacts of solo-authored and team-authored patents. This figure obviously shows that the team-authored patents have more impact. The same phenomenon was already discovered in the previous study [17].

Fig. 7 shows the average impacts of patents applied for by solo companies and teams of companies. As is the case of inventors, teams of companies show a higher impact. A previous study predicted this phenomenon in which inter-institution papers have a better impact than do intra-institution papers [34]. However, we have to consider these facts carefully. In the U.S., the same measures show 1.17 for solo companies and

¹ On the basis of the definition in this paper, we found that the ratios of inter-company patents are 1.0%

1.23 for teams of companies. The result gives us the same indication, but the gap is apparently small. Hence, it seems that the phenomenon can be affected by the difference of cultures or climates.

So far, we have simply discussed the average impact of links. However, these links have some characteristics: the geodesic distance between inventors, the attributions of connected nodes, the oldness of the links, and so on. For example, the impact of inventors increases if the geodesic distance is large or the nationality is different [35].

Here, we consider the oldness of the links. Fig. 8 is the transitions of impacts between the inventors. The vertical axis shows the average impact. The horizontal axis shows the number of repetitions between the same inventors. For example, if inventors A and B apply for a patent for the first time, the number of repetitions is one. If another patent is applied for by the same inventors (or a group including the same inventors), the number of repetitions is two. All combinations and repetitions between inventors are counted and averaged. In addition to this, the horizontal axis has logarithmic bins. “2-10” means the average of all patents that are from two to ten repetitions. Apparently, the impacts decayed as the repetition continued. US patents had the same tendency.

Fig. 9 is the transitions of impacts between the companies. The meaning of the figure is the same as Fig. 8. Although, globally, this figure also decayed as the repetition continued, there is a peak at “2-10” repetitions. This means that experience is working positively in companies as opposed to inventors. In US, the distribution does not simply decay either, but the population was too small to discuss.

As we mentioned in the beginning of this section, here we discuss the importance of the layered networks. Table 2 is a cross table between inventors’ and companies’ repetitions. The table contains the repetition of “1” and “2-10” for each network. All patents counted in the table are inter-company ones. For instance, a patent can be the first patent between two inventors who belong to different companies. This is categorized in the upper-left cell and simultaneously the second patent between the two companies. The patent is counted in the lower-left cell of the table. There are no patents in the upper-right cell from the definition. All combinations of these impacts are significantly different depending on the population and non-parametric tests.

The table directly illustrates the importance of the layered networks. From the viewpoint of inter-company links, the average impact of the repetition “2-10” significantly varies according to the repetition of inventors. In the same way, from the viewpoint of inter-inventor links, the average impact of the repetition “1,” again, significantly varies according to the repetition of the companies. From this result, it is important to consider the layered networks of inventors and companies. More specifically, how and when these links grow is also important. We will discuss a replication model that can predict them.

Model

On the basis of the observation so far, we propose a model to replicate the observed network. Especially, we aim to replicate the degree distributions of the networks because the interest of this paper is links of the networks and the form of degree distributions can grasp the feature.

Guimera et al.’s model. Our model is based on Guimera et al.’s model [26]. The model aims to replicate the self-assembly

of creative teams and has three parameters: team size (m), the fraction of newcomers in new productions (p), and the tendency of incumbents to repeat previous collaborations (q).

They explained with an example. Fig. 10 follows it. The model has an endless pool of newcomers. Newcomers become incumbents after being selected. The model adds members to a team according to m . The probability p shows a member is drawn from the pool of incumbents. If a member is already chosen from the pool of incumbents and there is already another incumbent that are already connected but not chosen, with the probability q a new member is chosen from the incumbent. Otherwise, a member is chosen from the all incumbents. Fig. 11 shows the process of how the model proceeds. The process is repeated m times for each team.

As a comparison to our model, we simply applied the model to replicate twofold networks. There are several ways to create the sequence of m : (a) keep m a constant, (b) draw m from a distribution, and (c) draw m from the observed distribution. In this paper, we draw m from a distribution. There is no apparent distribution for the observed distribution (Fig. 4). However, we choose Poisson distribution for simplicity. The equation is

$$p_{m_i} = \frac{\gamma^{m_i} e^{-\gamma}}{m_i!}, \quad [1]$$

where γ is a parameters. Therefore, parameters are set as follows: $\gamma = 2.23$, $p = 0.73$, and $q = 0.69$. The number of added patents (P) is 1,307,429. All these numbers are acquired from the observed networks. Each inventor is randomly assigned a company from the number of observed networks (30,643) when the inventor, that is, a newcomer is created.

Fig. 13 shows the inventors’ degree probability distributions of Guimera’s model and the observed network. We can see the model replicates the observed network well. On the other hand, Fig. 14 shows companies’ degree distribution. The distribution of the model looks like a normal distribution with some deviation. In the first place, the difference between observed and generated distributions is natural because all inventors are randomly connected to companies. The strange form of the generated distribution can seemingly be explained as follows: (1) All inventors are randomly assigned a company. Even though there are no directions of links, this works as starting points of company links. This leads to the big bell curve of the distribution. (2) Terminal points of the links form the small deviation on the right. When p is true and q is false, inter-company connections are created toward the companies that have large numbers of inventors.

Our model. Fig. 12 shows the model we propose. Guimera et al.’s model remains in the upper left. The model newly contains a process for choosing companies (X) and creating companies (Y). When an inventor is a newcomer, there is two possibilities. If the inventor is the first member, Y is executed. If it is not, X is executed.

X has a parameter r . r^k , where k is a number of companies that already exist in the patent, is the probability to choose a company from the pool of all existing companies and assigned to the newcomer or the incumbent. If r^k is not true, the same company that one of members already belong to is chosen to the newcomer or the incumbent as well. Y has a parameter s . s is the probability to create a new company and assign it to the newcomer. If s is not true, a company is randomly chosen from the pool of all existing companies and assigned to the newcomer.

These new parameters, r and s can be acquired from the observed data as well.

Simulation result and discussion. We added the settings, $r = 0.06$ and $s = 0.085$. Other settings are the same as those of the Guimera et al.'s model. Fig. 15 and Fig. 16 show the results. The inventors' degree distribution is still followed well. In addition, the companies' degree distribution is improved.

If we see Fig. 15 carefully, the slope of the generated network is steeper than the Guimera et al.'s model. This is because a node that gets a high degree should assemble links widely. However, our model put a restriction on it because the connections between inventors sometimes have a restriction of companies.

Our model has two good points. First, all parameters are acquired from observed data, therefore, no tuning is required. Hence, if we get the observed data, we can immediately build the model. Second, all decision making is local. All choice in the process is random choices or the same choices as other members. It can be said that this is a realistic model. On the other hand, for example, if a model has a preferential attachment [36] process, global information, that is, all degree information has to be known.

Our model has two bad points. First, our model cannot follow other measures' distributions very well. These are the clustering coefficient and the average degree of neighbors. This is an open problem in the future.

Summary

In this paper, we attempted to clarify the dynamics between inventors and companies from the viewpoint of the network of collaborations. We used US and JP patent data, extracted collaborations between inventors and companies, and created the two different networks based on the tripartite graph of patents, companies, and inventors.

First, we discussed the links' impacts, which are calculated as normalized citations. The average impacts of the team-authored patents were better than those of the solo-authored patents for both inventors and companies. However, the links showed a different characteristic when we saw the relationship between the repetition of collaborations and impacts. The impacts of the inventors' collaboration decayed as the repetition continued. In comparison, the companies showed past experience were positively affected in the beginning. We also discussed the cross table of repetition between inventors and companies. The table directly illustrates the importance of the layered networks. The impact of patents are strongly affected by both inventors' and companies' repetition of collaborations. Consequently, we found that considering the layered networks is important.

Next, we created a model to replicate the two-layered network in order to understand the evolution of the network. The model is based on Guimera's model and is added two parameters to them. It could replicate the observed network well in terms of degree distributions.

Appendix: Other models

The models described in this section can also create two-layer networks. The first Guimera et al.'s model with a preferential attachment is much more complicated than the model in the body of this paper but replicated the observed network well. On the other hand, the second Goldstein et al.'s model is less complicated than the model in the body but we can see the inevitable discord between distributions replicated by this model and the observed ones.

Model description

This model is separated into two layers to generate each layer of a network respectively. The first layer is a company network that has companies as nodes and the joint-applications between them as links. The second layer is an inventor network that has inventors as nodes and the joint-applications between them as links. Each inventor belongs to a company. When a patent is added to the networks, nodes and links are added into each network. This process lasts until a certain number of patents (P) are added. The following is the description.

Initial state: First, we already have three connected inventors that belong to the same company.

Company network part: The number of companies (m_c) is decided on the basis of a power-law distribution. This is because a power-law distribution roughly fits the observed distribution (Fig. 5). The equation is

$$p_{m_c} = \alpha m_c^{-\beta}, \quad [2]$$

where α and β are parameters. As a constraint in the process, if the calculated m_c is larger than 42, which is the maximum number of the observed network, m_c is recalculated. Company nodes and links are added by the following process, and they are mutually connected as is the case of a complete graph. To choose each company, a probability (p_c) of a binary is used. If p_c , an existent company is chosen. Also, the probability to choose an existent company is proportional to the degree; that is,

$$\Pi(k_i) = k_i / \sum_j k_j. \quad [3]$$

If $1 - p_c$, a new company is created.

Inventor network part: Each company has one or more inventors. The number of inventors for each company is randomly decided. The number of inventors (m_i) is decided on the basis of Poisson distribution. Poisson distribution is one of the most probable distributions that fits the observed distribution (Fig. 4). The equation is

$$p_{m_i} = \frac{\gamma^{m_i} e^{-\gamma}}{m_i!}, \quad [4]$$

where γ is a parameters. As a constraint, if the calculated m_i is larger than 17, which is the maximum number of the observed network, m_i is recalculated. Also, if the number is smaller than the number of companies, m_i is recalculated, too. We introduced Guimera's model [26] to this part. To choose each inventor so that each company has one or more inventors, we use a probability p_i . If $1 - p_i$, a new inventor is introduced. If p_i , an incumbent is chosen. There are two types of incumbents: past collaborators and new collaborators. To choose one of them, another probability (q_i) is tried. If q_i , a past collaborator is chosen and vice versa.

Simulation Result

First of all, the parameters were set as: $P = 1,307,429$, $p_c = 0.98$, $p_i = 0.73$, $q_i = 0.69$, $\alpha = 0.92$, $\beta = 5.11$, and $\gamma = 2.23$. All these parameters were acquired from the observed network.

Fig. 17 is a comparison of the degree probability distributions of inventor networks. The figure has plots of the result of the replication and the observed network. The model replicated the observed data well. Although it is known that Guimera's model [26] can replicate this type of distribution²,

² The networks they discussed were not ones of the patents but of papers.

this has to be verified because, in their verification, m_i was a constant, and the inventor network might be skewed by the company network.

Fig. 18 is a comparison of the degree probability distributions of company networks. The figure has plots of the result of the replication and the observed network. Again, the model replicated the observed data well.

Goldstein's Model.

Model description

Goldstein et al. proposed a group-based Yule model [37]. Yule model, which is proposed by Yule, aims to simulate biological evolution. Goldstein et al. uses Yule model to replicate a author-paper network. We can directly translate the word “group” in their work into the word “organization” in this paper. They did not mention any structure of the networks among organizations. However, we found this model is promising and simple.

Fig. 19 is a reprinted diagram for the model from their paper. When a paper is created there is a probability α that a new author group is created with N_g all new members, where N_g is a constant. The number of authors of the paper, $N(\lambda)$ is the first author plus a Poisson-distributed number of additional authors. This one-shifted-Poisson distribution has parameter λ . The probability distribution of the one-shifted-Poisson, $p_{sp}(k)$, is given in Eq. [5]:

$$p_{sp}(k) = \frac{\lambda^{(k-1)} e^{-\lambda}}{(k-1)!}, \quad k = \{1, 2, \dots\}, \quad [5]$$

where k is the number of authors and $p_{sp}(k)$ is the probability of a paper having k authors.

If a new group is not created, an existing author group is chosen using the following probability distribution:

$$p_g(q) = \frac{q}{N_p}, \quad [6]$$

where q is the number of papers that this group has published, N_p is the total number of papers in the network, and $p_g(q)$ is the probability of an existing group authoring a paper.

There is a probability β that an author is from another group. The selection is done by another preferential process. The probability of selecting an author i in the group is

$$pa(i) = \frac{k_i + 1}{\sum k_j + N_g}, \quad [7]$$

where k_i is the number of papers written by author i , $\sum k_j$ is the sum of the number of authorships among the authors in the group and N_g is the number of authors in the group.

Simulation result

The value of parameters, that is, α , β , and γ can be acquired from the observed data. However, if we use the observed values for them, the model shows the result far from the observed one because N_g is fixed in this model. Therefore, we tuned these values to replicate the observed distribution by hand. The parameters were set as: $\alpha = 0.33$, $\beta = 0.1$, $\gamma = 1.53$, and $N_g = 20$. Also, 300,000 patents (or papers in their application) were added.

Fig. 20 is a comparison of the degree probability distributions of inventor networks. The figure has the result of the replication and also the plots the observed network. It is difficult to say the model replicated the observed data well because the tail of the distribution shows a linear shape in the model.

Fig. 21 is a comparison of the degree probability distributions of company networks. The distribution of the model looks like a linear distribution in the tail. On the contrary, the head shows curvilinear and it is not similar to the observed distribution.

This model requires global information to calculate Eq. [6] and [7]. This can also be thought as shortcomings.

The model could not show the close distributions. However, the attractiveness of this model is the simplicity. In addition, these deviations might be revised by introducing the variable N_g that is a constant in the original model.

ACKNOWLEDGMENTS. This work was supported by KAKENHI 24530506.

1. P. Geroski, S. Machin, and J. V. Reenen. The profitability of innovating firms. *The RAND Journal of Economics*, 24(2):198–211, 1993.
2. D. Czarnitzki. An empirical test of the asymmetric models on innovative activity: who invests more into R&D, the incumbent or the challenger? *Journal of Economic Behavior & Organization*, 54(2):153–173, 2004.
3. R. M. Grant. Toward a knowledge-based theory of the firm. *Strategic management journal*, 17:109–122, 1996.
4. B. H. Hall and A. B. Jaffe. The nber patent citations data file: Lessons, insights and methodological tools. National Bureau of Economic Research Working Paper 8498, 2000.
5. S. K. McEvily and B. Chakravarthy. The persistence of knowledge-based advantage: an empirical test for product performance and technological knowledge. *Strategic Management Journal*, 23(4):285–305, 2002.
6. J. Hagedoorn, H. V. Kranenburg, and R. N. Osborn. Joint patenting amongst companies - exploring the effects of inter-firm R & D partnering and experience. *Managerial and Decision Economics*, 24:71–84, 2003.
7. H. W. Chesbrough. Open innovation. Harvard Business School, 2003.
8. K. Laursen and A. Salter. Open for innovation: the role of openness in explaining innovation performance among U.K. manufacturing firms. *Strategic Management Journal*, 27(2):131–150, 2006.
9. D. Hicks, A. Breitman Sr, K. Hamilton, and F. Narin. Research excellence and patented innovation. *Science and Public Policy*, 27(5):310–320, 2000.
10. I. Nonaka and A. Y. Lewin. A dynamic theory of organizational knowledge creation. *Organization Science*, 5(1):14–37, 1994.
11. L. Bettencourt, J. Lobo, and D. Strumsky. Invention in the city: Increasing returns to patenting as a scaling function of metropolitan size. *Research Policy*, 36(1):107–120, 2007.
12. G. Lenski. Directions and continuities in societal growth. In A. Hawley, editor, *Societal Growth*, pages 5–18. Free Press, New York, 1979.
13. M. E. J. Newman. The structure of scientific collaboration networks. *Proceedings of the National Academy of Sciences of the United States of America*, 98:404–409, 2001.
14. A. L. Barabási and R. Albert. Statistical mechanics of complex networks. *Reviews of Modern Physics*, 74:47–97, 2002.
15. M.E.J. Newman. Coauthorship networks and patterns of scientific collaboration. *Proceedings of the National Academy of Sciences of the United States of America*, 101:5200–5205, 2004.
16. J. Ramasco, S. Dorogovtsev, and R. Pastor-Satorras. Self-organization of collaboration networks. *Physical Review E*, 70(30):1–10, 2004.
17. S. Wuchty, B. F. Jones, and B. Uzzi. The increasing dominance of teams in production of knowledge. *Science*, 316(5827):1036–1039, 2007.
18. B. J. Jones, S. Wuchty, and B. Uzzi. Multi-university research teams: shifting impact, geography, and stratification in science. *Science*, 322(5905):1259–1262, 2008.
19. W. M. Cohen and D. Levinthal. Absorptive capacity: a new perspective on learning and innovation. *Administrative Science Quarterly*, 35:128–152, 1990.
20. H. W. Volberda, N. J. Foss, and M. A. Lyles. Absorbing the concept of absorptive capacity: How to realize its potential in the organization field. *Organization Science*, 21(4):931–951, 2010.
21. M. Easterby-Smith, M. A. Lyles, and E. W. K. Tsang. Inter-organizational knowledge transfer: Current themes and future prospects. *Journal of Management Studies*, 45(4):677–690, 2008.
22. Z. Griliches. *R&D and Productivity-The Economic Evidence*. The University of Chicago Press, Chicago, 1998.
23. S. Tamada, F. Kodama, and K. Gemba. A study on science linkage of Japanese patents; an analysis on patents in the field of genetic technology by constructing a citation database. *The Journal of Science Policy and Research Management*, 17(3/4):222–230, 2002.

24. A. L. J. Ter Wal and R. A. Boschma. Applying social network analysis in economic geography: framing some key analytic issues. *The Annals of Regional Science*, 43(3):739–756, 2008.
25. P. Giuri, M. Mariani, S. Brusoni, G. Crespi, D. Francoz, A. Gambardella, W. Garcia-Fontes, A. Geuna, R. Gonzales, D. Harhoff, K. Hoisl, C. Lebas, A. Luzzi, L. Magazzini, L. Nesta, O. Nomaler, N. Palomeras, P. Patel, M. Romanelli, and B. Verspagen. Everything you always wanted to know about inventors (but never asked): Evidence from the patval-eu survey. Munich School of Management University of Munich Discussion Paper, 2006.
26. R. Guimera, B. Uzzi, J. Spiro, and L. A. N. Amaral. Team assembly mechanisms determine collaboration network structure and team performance. *Science*, 308(5722):697–702, 2005.
27. A.L. Barabási, H. Jeong, N.Éda, E. Ravasz, A. Schubert, and T. Vicsek. Evolution of the social network of scientific collaborations. *Physica A*, 311:590–614, 2002.
28. H. Inoue, W. Souma, and S. Tamada. Spatial characteristics of joint application networks in Japanese patents. *Physica A*, 383:152–157, 2007.
29. K. Blind, J. Edler, R. Frietsch, and U. Schmoch. Motives to patent: Empirical evidence from Germany. *Research Policy*, 35(5):655–672, 2006.
30. A. Pakes. Patents as options: Some estimates of the value of holding European patent stocks. *Econometrica*, 54(4):755–784, 1986.
31. C. Beaudry and A. Schiffrerova. Impacts of collaboration and network indicators on patent quality: the case of Canadian nanotechnology innovation. *European Management Journal*, 29:362–376, 2011.
32. M. Trajtenberg. A penny for your quotes: patent citations and the value of innovations. *Rand Journal of Economics*, 21(1):172–187, 1990.
33. B. H. Hall, A. B. Jaffe, and M. Trajtenberg. Market value and patent citations: a first look. *Rand Journal of Economics*, 36:16–38, 2005.
34. J. S. Katz and D. Hicks. How much is a collaboration worth? A calibrated bibliometric model. *Scientometrics*, 40(3):541–554, 1997.
35. F. Narin, K. Stevens, and E. S. Whitlow. Scientific co-operation in Europe and the citation of multinationally authored papers. *Scientometrics*, 21(3):313–323, 1991.
36. A. L. Barabási and R. Albert. Emergence of scaling in random networks. *Science*, 286:509–512, 1999.
37. M. Goldstein, S. Morris, and G. Yen. Group-based yule model for bipartite author-paper networks. *Physical Review E*, 71(2):1–6, 2005.

Table 1. Overview of datasets

	US	JP
Duration (year)	1963-1999	1994-2008
# of all patents	2,923,922	1,967,361
# of companies	33,515	72,841
# of patents by companies	722,350	1,696,635
# of patents by multiple companies	28,345 (1.0%)	132,704 (7.8%)
# of inventors in company	285,418	829,052
# of patents by multiple inventors	347,450	1,043,639

Table 2. Cross repetition table between inventors and companies

		Inter-inventor repetition	
		1	2-10
Inter-company repetition	1	3.27	n/a
	2-10	3.73	2.92




Fig. 1. The process for creating two-layer networks from observed data




Fig. 2. Cumulative probability distribution of inventors' degree




Fig. 3. Cumulative probability distribution of companies' degree




Fig. 4. Distribution of inventors' team size




Fig. 5. Distribution of companies' team size




Fig. 6. Average impact of inventors: solo-applied and team-applied patents




Fig. 7. Average impact of companies: solo-applied and team-applied patents




Fig. 8. Average impact of repetitions between inventors




Fig. 9. Average impact of repetitions between companies




Fig. 10. Guimera et al.'s model (Reprinted) [26]




Fig. 11. Process of Guimera et al.'s model




Fig. 12. Process of our model




Fig. 13. Comparison of inventors' degree distribution: observed and generated by Guimera et al.'s model




Fig. 14. Comparison of companies' degree distribution: observed and generated by Guimera et al.'s model




Fig. 15. Comparison of inventors' degree distribution: observed and generated by our model




Fig. 16. Comparison of companies' degree distribution: observed and generated by our model




Fig. 17. Comparison of inventors' degree distribution: observed and generated by Guimera et al.'s model with a preferential attachment




Fig. 18. Comparison of companies' degree distribution: observed and generated by Guimera et al.'s model with a preferential attachment




Fig. 19. Goldstein et al.'s group based Yule model (Reprinted) [37]




Fig. 20. Comparison of inventors' degree distribution: observed and generated by Goldstein et al.'s model




Fig. 21. Comparison of companies' degree distribution: observed and generated by Goldstein et al.'s model